



Torque tool set with SENSOTORK® 701/32/1

701/32/1



Product no. **96090005**
GTIN **4018754293094**
Model **701/32/1**



Label.

Torque tool set with SENSOTORK® Model 701/32/1 32 pcs.

Features.

- click-type
- very slim and compact design for low torques from 1 N·m
- Units of measurement: N·m, cN·m, ft·lb, in·lb
- Measurement independent of the point of force application
- Additional functions with SensoMaster 4 software (freely available after registration at www.stahlwille.de/sensomaster): - adjustable screwdriving case - evaluation of the screwdriving process by means of coloured LEDs, buzzer and vibration - calibration interval adjustable - suitable for documentation
- Supplied with lithium battery 3.6 V, type 14500
- Calibration with the perfectControl calibration device No. 7794 or the calibration system No. 7706.
- with certificate
- Display deviation value ± 4

Content:

1 Torque wrench No. 701/2, 1-20 N·m, 1/4"
11 1/4" socket spanner inserts no. 40, SW 4; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm
1 1/4" QuickRelease extension L. 54 mm
1 bit holder no. 412
3 bits for PHILLIPS® screws No. 1221-1223, PH1; PH2; PH3
3 bits for PHILLIPS® screws No. PZ1221-1223, PZ1; PZ2; PZ3
4 bits for hexagon socket screws No. 13011304, SW 4; 5; 6; 8 mm
7 bits for internal TORX® screws No. 1414-1420, T10; T15; T20; T25; T27; T30; T40
1 USB cable No.7754, USB-A plug to Micro-B plug



Product highlights.



Robust tool box.

The robust tool box is particularly durable due to the resistant ABS plastic. It has a high-quality, chemical-resistant hard foam insert to hold the tools securely. The fasteners are secure, yet very easy to move as desired.



Everything at a glance.

The laser-engraved contents in the lid insert provide an optimal overview of the tools within.



Compact.

With a compact length of only 21 cm, it is ideally suited to safe, accurate work in confined spaces.



Versatile.

For torques from 1 to 20 N·m - the ideal choice for bolt tightening on modern materials such as plastic, carbon and aluminium, for state-of-the-art bicycles with carbon frames, for example.



Intuitive use.

The required mode of operation (track, peak hold, user (fastener evaluation)) can be quickly and easily set using the single button setting system.

Technologies and features.



QuickRelease

The QuickRelease safety lock prevents unintentional loss of insert tools. These click securely into place, and are only released again at the push of a button for a quick tool change.

Technical Attributes.

Number of tools

32 pcs.

Logistics data.

Depth mm (IFS)

320

Battery type	Lithium-Batterie 3,6 V, Typ 14500	Width mm (IFS)	135
Width mm (b)	135 mm	Height mm (IFS)	55
Height mm (h)	55 mm	WEEE/ElektroG	Kleingeräte B2C
Length mm (L)	320 mm	Length (packed, mm)	320
		Width (packed, mm)	135
		Height (packed, mm)	55
		Volume (packed, dm3)	2.376 dm3
		Product no.	96090005
		Weight (gross, kg)	0,923
		Weight PAP (kg)	0,080
		Weight PVC (kg)	0,000
		GTIN	4018754293094
		Country of origin AWR	GERMANY
		Region of origin	Nordrhein-Westfalen
		Customs tariff no.	82060000
		Packing standard	1
		Weight	923 g

Parts list.



50450002
Electronic torque
wrench SENSOTORK®



11180010
Bit holder



08130040
Bit screwdriver socket



08130030
Bit screwdriver socket



08130027
Bit screwdriver socket



08130025
Bit screwdriver socket



08130020
Bit screwdriver socket



08130015
Bit screwdriver socket



08130010
Bit screwdriver socket




08090008
Bit screwdriver socket



08090006
Bit screwdriver socket



08090005
Bit screwdriver socket



08090004
Bit screwdriver socket



08010003
Bit screwdriver socket



08010002
Bit screwdriver socket



08010001
Bit screwdriver socket



08050003
Bit screwdriver socket



08050002
Bit screwdriver socket



08050001
Bit screwdriver socket



11011001
QuickRelease extension



01010055
Sockets



01010013
Sockets



01010012
Sockets



01010011
Sockets



01010010
Sockets



01010009
Sockets



01010008
Sockets



01010007
Sockets



01010006
Sockets



01010005
Sockets



01010004
Sockets



81261011
Socket set



51110057
USB cable

Variants.

Product no.	Model no. (ERP)	Description	GTIN
96090005	701/32/1	Torque tool set with SENSOTORK® Model 701/32/1 32 pcs.	4018754293094
96090006	701/32/1 no battery	Torque tool set with SENSOTORK® Model 701/32/1 32 pcs.	4018754349692

GTIN-Code.



Images.



STAHLWILLE Eduard Wille GmbH & Co. KG

Lindenallee 27 · 42349 Wuppertal · Germany · Phone: +49 202 4791-0 · Fax: +49 202 4791-200
 info@stahlwille.de · www.stahlwille.com · Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal
 Copyright by STAHLWILLE Eduard Wille GmbH & Co. KG, Wuppertal